


Garage Door

SELECTION GUIDE



The Genuine. The Original.



Table of content:

Choosing a Door	3
Signature® Carriage Wood	4-5
Traditional Wood Collection	
Rail and stile wood garage doors	6-7
Flush panel wood garage doors	8-9
Modern Aluminum Collection	
Models 511 and 521.....	10-11
Envy™ Model 956	12-13
Impression Fiberglass Collection®	
Models 981, 982, 983, 984	14-15
Impression Steel Collection	
5800 Series	16-17
Carriage House Collection	18-19
Courtyard Collection®	20-21
Courtyard Collection® WindStorm	22-23
Thermacore® Collection	24-25
Thermacore® Collection WindStorm	26-27
Durafirm Collection™	28-29
Traditional Steel Collection	30-31
WindStorm™ wind load-rated system	32-33
Windows for Signature® Carriage Wood	34
Windows for Thermacore® Collection	35
Windows for Thermacore® WindStorm	36
Windows for Traditional Steel Collection	37
Decorative hardware	38
Openers	39
National distributor network	40

Call 1-800-929-3667 (DOOR) to contact an Overhead Door™ Distributor near you.

overheaddoor.com

Choosing a Door

What to consider when selecting a door



Style

Whether your home is classic or contemporary, we offer styles to best complement your home's architecture. For a distinctive, custom look, choose insulated doors from our elegant Courtyard Collection®, Thermacore® Collection, Impression Collection® or the custom fine wood doors of the Signature® Carriage Collection.

Safety

Our Impression Collection® doors provide peace of mind with pinch-resistant panels that help protect fingers. If you live in an area that is prone to high winds, ordered with the appropriate wind load options, our WindStorm™ doors provide reliable protection against high wind damage and offer fine craftsmanship, durability and style.

Comfort

If you live in a climate with extreme hot or cold temperatures, we recommend a well-insulated, thermally-efficient door to ensure your comfort. Some of our insulated doors, including the Courtyard Collection® and Thermacore® Collection, also feature a steel backing that lends a finished, clean look to your garage's interior.

Signature® Carriage Wood

Premium wood garage doors

Signature® Carriage Wood doors combine the classic swing-open appearance and detailing of carriage house wood doors with the convenience of sectional garage doors.

Panel styles

Doors provided in unfinished, stain-grade or paint-grade wood.

Models are available with or without windows and with square or arched tops. Square tops are shown.

Parson Collection


Drake
Narrow

(570 DN)



Drake
Wide

(570 DW)




Kingston
Narrow

(571 N)




Kingston
Wide

(571 W)




Holden
Narrow

(581 N)



Holden
Wide

(581 W)



Ponderosa Collection

Buchanan (i)

(580 B)




Dakota (i)

(580 D)




Sierra (i)

(580 S)




Austin

(570 A)




Austin
Grooved

(570 A)



Baxter

(570 B)



Baxter Grooved

(570 B)



Villa Madre Collection


Ortega (i)

(580 Base)




Medina (i)

(580 M)



Pizarro (i)

(580 P)



Cruz (i)

(580 C)



Castille
Grooved


(570 C)



Coastal Collection


Bay View

(580 BV)




Ocean Side

(580 OS)



Sea Board

(580 SB)



4-sections only, no windows

(i) - insulated R-value 4.75



Multiple designs and wood species options let you choose the perfect complement to your home with our style, window and glass options.



Up to a limited
1-year warranty

World class construction of rail and stile frame adds strength.

Polystyrene insulation can help diminish street noise and provide quieter door operation. R-value* of 4.75 available for select models.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

Window styles

For the full selection of windows please see page 34.




Traditional Wood Collection

Rail and stile wood garage doors


Traditional Wood rail and stile garage doors deliver timeless elegance. The traditional look of rail and stile wood doors adds richness, depth and lasting design.

Panel styles

Recessed panel designs Models 450, 453




Raised panel designs Model 454




1 car design shown. Both panels are also available for 2 car designs. Decorative carved Raised panel designs available. Consult your Overhead Door™ Distributor for details.

Window styles

Recessed panel windows Models 450, 453



Raised panel windows Model 454



Glass types



Clear

Clear glass comes standard with this product. Additional glass options are available, including 1/8" tempered and 1/8" double strength (DSB). Contact your local Overhead Door™ Distributor for more details.




Up to a limited
1-year warranty

Raised panel Model 454



Recessed panel Model 450 & 453



- | | |
|--|---|
| <p>1 Door Sections are constructed of 1-3/8" thick finger-jointed wood rails and stiles; with solid stain-grade rails and stiles as an option.</p> <p>2 Raised Panels are constructed of 3/4" solid wood; edge-glued panels.</p> | <p>1 Recessed Panels are constructed of 1 3/8" high quality West Coast Hemlock.</p> <p>3 Center of Recessed Panel is constructed of durable, 1/4" exterior-grade hardboard.</p> |
|--|---|

Mortise and tenon joints are glued and steel-pinned for increased strength and durability.

Shiplap section design provides weather-tight fit and smooth operation.

Rust resistant track and hardware are constructed of hot-dipped galvanized steel.

Backed by **one year limited warranty**.

MODEL 450 Framed panel	MODEL 453 Framed panel	MODEL 454 Recessed panel (Paint grade)	MODEL 454 Recessed panel (Stain grade)
			
Features hardboard flat panels, thin rails and stiles	Features hardboard flat panels, thick rails and stiles	Features Hemlock panels, stiles and rails (finger-jointed)	Features Hemlock panels stiles and rails (solid, one piece)
Smooth plywood panel option available	Smooth plywood panel option available	Hardboard raised panel option available	Meranti Mahogany and Cedar panel options available

Model 450 and 453 panels pictured above are custom painted.


Traditional Wood Collection

Flush panel wood garage doors


Traditional Wood flush panel garage doors offer modern simplicity. The smoothness of the flush panel design suits a variety of architectural styles, from traditional to modern. For a contemporary or minimalist look, the flush panel garage doors are an ideal fit.

Panel styles

Model 444



1 car



2 car

Solid arched top is optional.

Natural wood



Primed wood



All model panels have a total thickness of 1-3/8". Doors over 10' wide will have a vertical center seam.

Window styles



Cathedral*



Real Sunray



False Sunray*



2 Panel - 2 over 2



4 Panel - 2 over 2



2 Panel - 3 over 3



2 Panel - 4 over 4



2 Panel - 5 over 5

Windows shown for 1 car panel designs. Not all window will fit all door sizes. Factory will advise if there is a problem with fitting.

* Molded designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.

Glass types




Clear

Clear glass comes standard with this product. Additional glass options are available, including 1/8" tempered and 1/8" double strength (DSB). Contact your local Overhead Door™ Distributor for more details.



Up to a limited
1-year warranty



- 1** Section thickness is 1-3/8".
- 2** Polystyrene insulated core provides a 4.75 R-Value*.
- 3** External panels are pressure-bonded to framework with high-strength, waterproof adhesive.
- 4** Primed painted finish available option.

Rust resistant track and hardware are constructed of hot-dipped galvanized steel.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

	Model 444
Exterior wood/finish	Smooth plywood; priming option available; stained grade
Interior	Smooth plywood
Insulation	4.75 R-value, polystyrene

Modern Aluminum Collection

Sleek, sophisticated garage doors

The Modern Aluminum Collection combines glass and aluminum for unparalleled visual appeal, strength and light infiltration.


Frame options

Model 511 Standard frame


511 Series frame features a narrow width and offers an array of frame finishes and special custom options in door sizes up to 16'0" wide.

Model 521 Heavy-duty frame

521 Series frame features a wider, heavy-duty frame in door sizes up to 26' wide. The 521 Series can also be fitted to meet wind load building requirements.



Model 511



Model 521

Glass types

Double Strength (DSB) glass comes standard. In addition we offer an array of choices to complement your home. Insulated glass available.



Double Strength (DSB) *



Obscure*



Satin Etched*



Impact Frosted Polycarbonate

Specialty Glass

- Laminated White
- Low E Glass*
- Tempered Glass
- Tinted Glass*


* Insulated options available

Glass alternatives

- Clear Lexan® Polycarbonate**
- Multi Wall Polycarbonate
- Plexiglas® Acrylic**
- Impact Clear and Frosted Polycarbonate - 0.250" min.

Colors

Anodized finishes



Clear (standard)



Light Bronze



Medium Bronze



Dark Bronze

Wood grain powder coat finishes (Model 521 only)



Knotty Pine



Cherry



Cherry with Flame



Dark Walnut

Powder coat finishes

Select from approximately 200 color options to best match your home.





Between section seals

Offer additional weather-resistance.

Commercial-grade aluminum frame

Low-maintenance and corrosion resistant.

Design flexibility

Available in a variety of vertical rail widths and horizontal stile widths to complement the style of your home.

Stylish hardware

Hinges and fixtures are galvanized to maintain a contemporary look.

Solid aluminum panels are also available.



Up to a limited
1-year warranty




Modern Aluminum Collection

Envy™, Model 956


A new full-view design in our Modern Aluminum Collection

Frame options

8' wide panel



16' wide panel



Panels are available in different heights and widths.
Contact your Overhead Door™ Distributor for details.

Glass types



Opaque White



Opaque Black



Mirrored Gray




Mirrored Bronze



Translucent Black

Structure finish

Powder Coat Finishes



White



Black



Bronze

Anodized Finishes



Black



Bronze

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.



¼" tempered glass panels are mounted on top of an aluminum structure for an ultra-modern, frameless look.

Powder coated hinges, struts and top bracket come standard, providing a finished, high-end appearance.

Weather barrier created by vinyl seals between tongue-and-groove sections.

Patent pending rails with glass ledge providing precision glass alignment and additional security.

Meets ASHRAE 90.1 and IECC® air infiltration requirements with a third-party tested value of less than 0.4 cfm/ft².

Meets California Code of Regulation, Title 24 air infiltration requirements with a third-party tested value of less than 0.3 cfm/ft².



Up to a limited 1-year warranty

Aluminum and glass pairings:

Aluminum options	Glass color
White Powder Coat	Opaque White
Black Powder Coat / Bronze Powder Coat /Black Anodized / Bronze Anodized	Opaque Black / Mirrored Gray / Mirrored Bronze / Translucent Black

Each door is unique and built to order, therefore a slight deviation in glass alignment is possible. These doors may become hot to the touch in sustained hot weather.

Impression Fiberglass Collection®

Beautiful exterior. Durable interior.


Impression Fiberglass Collection® doors have been magnificently engineered with an artfully molded wood grain fiberglass surface concealing durable steel construction.

Panel styles

Three-section styling on 7' high doors gives a custom design look. Our 8' high doors have four-section styling. All panels have white finished interiors with matching, low-profile hinges. 7' high doors shown below. Doors over 9' wide have a vertical seam added for support.


Model 981

Vertical Raised




Model 982

Horizontal Raised




Model 983

Vertical Slat



Model 984

Horizontal V-groove



Colors

Stain colors shown below on oak wood grain pattern. Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.



Cherry



White



Mahogany



Walnut



Oak



Clay



Green



Gray



Honduran
Mahogany



Red Oak

Window styles

Insulated windows are available.

For Horizontal Raised
and Horizontal
V-groove panels



For Vertical Raised
panel



For Horizontal
V-groove panel



For Vertical Slat panel



Plain Window



6 Window



8 Window



12 Window



16 Window



20 Window

Glass types

Clear, Insulated, Tempered, Obscure, Satin Etched and Tinted.



Foamed-in-place polyurethane insulation

R-value* of 7.6 helps control costly heat loss and gain. This type of insulation can diminish street noise and provides for quieter door operation.



Up to a limited lifetime warranty on steel backing

Designed with award-winning safety and technology features including pinch-resistant door panels.



Up to a limited 3-year warranty on fiberglass exterior

Bulb-type bottom weatherseal

Guards against wind and rain while providing a cushion when closing.



Fiberglass exterior

The beauty of wood without the maintenance.



Factory installed powder-coated hardware

ensures proper alignment and smoother operation with a clean interior appearance.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.




Impression Steel Collection®

5800 Series, Model 501


New insulated steel door platform offers updated classic design with aesthetic versatility.

Panel styles

8'x7'



8'x8'



Colors

Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.



White



Almond



Sandstone



Brown

Window styles:



Plain Window Long



Stockbridge (3-Pane)



Stockbridge (4-Pane)



Stockton (6-Pane)



Stockton (8-Pane)



Plain Window



Wyndbridge (3-Pane)



Wyndbridge (4-Pane)



Somerton (6-Pane)



Somerton (8-Pane)

Window size and shape may vary slightly based on door size.

Option of single or double arch for double car doors.

All window styles are made using a single piece of glass with dividers.

Glass types:


Available in insulated and non-insulated glass.



Clear



Obscure



Satin Etched



Three sections for 7' doors provide large steel embossments for a dramatic appearance.

Foamed-in-place, polyurethane insulation sandwiched between two layers of corrosion-resistant steel with an R-value* of 12.

Oversized windows provide maximum natural light into the garage – one of the largest garage door windows on the market!

Wind load-rated to withstand a variety of wind conditions and meet local building codes.


* Overhead Door Corporation uses a calculated door section R-value for our insulated doors.



Up to a limited lifetime warranty on steel backing



Up to a limited 3-year warranty on fiberglass exterior



Carriage House Collection

Design, thermal performance and durability

The look of wood carriage style swing doors with varied design options, thermal performance and the durability of steel.


Panel styles

Three-section styling on 7' high doors (shown below) gives a custom design look. Our 8' high doors have four-section styling. Models are available with or without windows and with square or arched tops. 7' high doors with square tops are shown.


Model 301




Model 302



Model 303




Model 304




Model 305




Model 306




Model 307



Model 308



Model 309



Finishes

Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.

Painted finishes



White



Gray



Clay



Green

White is standard. All other colors are an upgrade.

Two-toned painted finishes



Gray/White



Clay/White



Green/White

The trim boards are white (standard).

Stained finishes



Mahogany



Walnut



Oak



Green



Gray



Clay



Honduran Mahogany



Red Oak



Durable finish

Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Up to a limited lifetime warranty



Polyurethane insulation

Provides thermal efficiency with an R-value* of 10.



Bulb seal

Protects against the elements.



Embossed wood grain texture

Adds beauty, sophistication and durability.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

Window styles



- 1** Plain Window Square
2 Plain Window Square



- 6 Window Square
12 Window Square



- 8 Window Square
16 Window Square



- 1** 12 Window Square
2 24 Window Square



- 16 Window Square
32 Window Square



- 1** Plain Window Arched
2 Plain Window Arched



- 6 Window Arched
12 Window Arched



- 8 Window Arched
16 Window Arched



- 1** 12 Window Arched
2 24 Window Arched



- 16 Window Arched
32 Window Arched

1 – Windows for single car doors. **2** – Windows for double car doors.

Option of single or double arch for double car doors.

Models are also available in solid arched top panels (no windows).

Glass types

Clear, Insulated, Tempered, Obscure, Satin Etched and Tinted.


Courtyard Collection®

Custom steel garage doors


Our Courtyard Collection® doors give you the beauty of wood with the durability of steel.

Panel styles


161B




371M/161M




371T/161T



162Z




166B




166E†




375B/165B




375T/165T




166T




167B




167E†



371A/161A




162E




†Windows and arches not available.


164A




373T/163T




377T/167T



162A



168B



Colors

Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.



White



Almond



Desert Tan



Sandstone



Terra Bronze



Brown



Hunter Green



Gray (160 Series only)



Black (160 Series only)

Window styles

Insulated windows are available.



Clear Long



Stockbridge



Stockton



Stockton Arch



Somerton



Wyndbridge Arch



Foamed-in-place polyurethane insulation provides an R-value of up to 12.76 and U-factor up to 0.24.



Up to a limited lifetime warranty



In-between-section thermal seals
With an air infiltration rating as low as .08 cfm, these seals help to provide superior resistance to the elements.



Weather resistant
Wood grain textured trim boards are resistant to dents and the elements.

⁴ R-value: The higher the R-value, the greater the insulating properties.
⁵ U-factor: A tested value of actual energy loss of an installed door, wall, or window assembly.

	370 Series	160 Series
Wood grain trim	●	●
Color matched trim		●
Warranty	20-year limited	Limited lifetime
Polyurethane insulation	●	●
R-value ⁴	9.3	12.76
U-factor ⁵	0.24	0.24
Overlay thickness	3/8"	3/4"
Door thickness	1"	1 3/8"
Commercial track	optional	●
Residential track	●	
Ball bearing rollers with nylon wheels	●	●

Courtyard Collection®


WindStorm™ wind load-rated series 7565

Beautiful carriage house designs and durable construction protect your home from nature's fury.


Panel styles

Panels below shown in square top. Also available in arched top.


Model 910



Model 911



Model 912




Model 913



Model 914




Model 915




Model 916




Model 917



Model 918



Model 919



Model 920



Colors

Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.

Overlay texture options



Wood grain
(standard)

Smooth



Color options



White/White



Almond/White



Taupe/White



Brown/White



Black/White

Window styles

Contact your Overhead Door™ Distributor to determine window availability and your local building official for code requirements.

Non-impact windows



Clear Long



Stockbridge



Stockton



Stockton Arch



Somerton



Wyndbridge

Impact windows



Clear Long Impact



Stockbridge Impact



Stockton Impact



Stockton Arch Impact



Somerton Impact



Wyndbridge Impact



Stringently tested to meet wind load requirements.

Available with impact rated options.

Reinforced hardware throughout the door.

Designed to meet local building codes – when ordered with the appropriate wind load options – including Miami-Dade County.

Foamed-in-place polyurethane insulation – with an R-value of 12.12* can improve the thermal efficiency of your garage space, reduce street noise and make the door operate more quietly.

Durable overlays are specially treated to resist termites, weather and fungal decay.

Joint seals – snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

* R-value: The higher the R-value, the greater the insulating properties.

For specific wind load information please see page 28.



Up to a limited lifetime warranty

7565 Series

Wood grain trim	●
Polyurethane insulation	●
R-value	12.12
Overlay thickness	3/8"
Door thickness	1 3/8"
Commercial track	Optional
Residential track	●
Ball bearing rollers with nylon wheels	●
Warranty	Limited lifetime

Thermacore® Collection

Premium insulated garage doors

For premium construction and maximum thermal efficiency, Thermacore® Collection insulated steel doors are the ideal choice.


Panel styles

Our Thermacore® doors feature wood grain embossment to enhance the appearance of your door. Doors are available in 7' or 8' height.

Models


297, 194, 494

Standard




295, 198, 496

Long




296, 199, 497

V5




298, 195, 495

Flush



192

V10



Colors

Actual door colors may vary from brochure photos due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.

Standard painted finishes



White



Almond



Desert Tan



Sandstone



Terra
Bronze*



Brown**



Hunter
Green*



Gray*



Black**

Optional textured wood grain finishes



Golden
Oak***



Walnut***



Mission Oak***

*Available in 190 Series only.

**Available in 190 and 490 Series only.

***Available in 192, 194, 198, 199, 494, 496 and 497 Models only.

Window styles

For the full selection of windows for Thermacore® Collection doors please see page 35.



Thermacore® construction

Provides a continuous layer of foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosion-resistant steel, for maximum thermal efficiency.



Up to a limited lifetime warranty

Embossed wood grain texture

Adds beauty, sophistication and durability.

In-between section thermal seals

With an air infiltration rating of up to 0.08 cfm, these seals help to provide superior resistance to the elements.



Durable finish

Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Bulb-type bottom weatherseal

Guards against wind and rain while providing a cushion when closing.

Series	Thickness	Polyurethane insulation	R-value ³	U-factor ⁴	Steel backing ⁵	Warranty
290	1"	●	9.31	0.24	●	20-year limited
190	1 3/8"	●	12.76	0.24	●	Limited lifetime
490	2"	●	17.5	0.16	●	Limited lifetime

³ R-value: The higher the R-value, the greater the insulating properties.

⁴ U-factor: A tested value of actual energy loss of an installed door, wall, or window assembly.

⁵ Backing: Steel – Interior-side steel backing for strength and finished appearance.

Thermacore® Collection

WindStorm™ wind load-rated Series 5745 & 5765

Premium insulated garage doors for protection against hurricanes, high wind damage, pressure changes and wind-borne debris.


Panel styles

Our Thermacore® doors feature wood grain embossment to enhance the appearance of your door. Doors are available in 7' or 8' height.

Models


901, 906

Standard




903, 908

V5




904

V10




902, 907

Long



905, 909

Flush



Colors

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.

Standard painted finishes



White



Almond



Taupe



Brown



Terra Bronze



Black
(5745 Series only)

Optional textured wood grain finishes (903 and 904 models only)



Golden Oak



Walnut



Mission Oak

Window styles

For the full selection of windows please see page 36.

5745 Series (Impact glazing available).

For V5 Panels with windows a full row of windows are required.

For Standard, V5, Long Panels with windows a full row of impact windows are required.

5765 Series (Impact glazing not available).

For V5 Panels with windows a full row of windows are required.



Stringently tested to meet wind load requirements.

Impact resistant.

Reinforced hardware throughout the door.

Designed to meet local building codes – when ordered with the appropriate wind load options – including Miami-Dade County.

Thermacore® construction – a continuous layer of foamed-in-place, CFC-free polyurethane insulation between two layers of corrosion-resistant steel.

In-between section thermal seals – snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Heavy gauge steel end caps for better appearance, improved strength and to protect the insulation from damage.

Bulb-type bottom weatherseal guards against wind and rain while providing a cushion when closing.



Up to a limited lifetime warranty

For specific wind load information please see page 28.

Models	Series	Thickness	Polyurethane insulation	R-value*	Steel backing**	Warranty
901 905	5745	1 3/8"	●	12.12	●	Limited lifetime
906 909	5765	1 7/8"	●	16.22	●	Limited lifetime

* R-value: Overhead Door Corporation uses a calculated door section R-value for our insulated doors. The higher the R-value, the greater the insulating properties.

** Backing: Steel – Interior-side steel backing for strength and finished appearance.

Durafirm Collection®

Rugged garage doors


With their rugged, thick vinyl skin, Durafirm Collection® 870 Series doors provide incredible strength and durability.

Panel styles

Doors are available in 7' or 8' height. Shown in 7'.


Model 870

Standard



Model 872

V5



Colors

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.



Glacier White



Cape Cod Gray



Monterey Sand



Adobe Cream

Window styles

Insulated windows are available.



Clear



Cathedral



Ruston



Stockton



Williamsburg



4-piece Williamsburg



8-piece Williamsburg

Glass types

Satin etched privacy glass is available with three styles of etching.



Clear Double Strength (DSB)



Obscure



Eclipse



Diamond



Prairie



Bonded steel, polyurethane and vinyl

They provide incredible strength, impressive sound absorption and energy efficiency with an R-value* of up to 11.75.



Up to a limited 15-year warranty

Deep raised panels

Rich wood grain texture for the timeless look of freshly painted hardwood. Available in standard panel style only.

Through-and-through color PVC construction

The color goes all the way through the exterior vinyl skin so scratches are minimized.

UV-resistant resin

Contains special polymers that protect your door from the sun's harmful ultraviolet rays.

Twin structural struts

22-gauge steel C-channels run the full length of each panel and are anchored to interior steel stiles for strength.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.



Traditional Steel Collection

Essential garage doors


Our Traditional Steel Collection garage doors offer three model options to choose from, each uniquely designed to provide lasting performance and durability.

Panel styles

Our Traditional Steel Collection doors feature a simulated wood grain embossment to enhance the appearance of your door. Choose from standard, long or V5 panel.


Models 170/173/180/183

Standard (S)




Models 171/174/181/184

Long (L)




Models 175/176/185/186

V5 (V)




Model 391

Standard (S)



Model 399

Long (L)



Colors

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Overhead Door™ Distributor for accurate color matching.



White



Almond



Desert Tan



Taupe/ Sandstone*



Brown

*Called sandstone on Models 391 and 399.

Window styles

For the full selection of windows for Traditional Steel doors please see page 37.

Glass types



Clear



Obscure

Clear glass is standard.
Optional glass include:

- Solar Bronze (model 391)
- High velocity glass (170/180 Series and model 391)
- Insulated glass (model 391)
- Obscure glass



Embossed wood grain texture
Adds beauty, sophistication and durability.



Up to a limited
lifetime warranty

Reinforced door construction
For maximum strength, durability and minimal weight.



Durable finish
Hot-dipped galvanized
steel with two coats
of baked-on polyester
paint.



**Bulb-type bottom
weatherseal**
Guards against wind
and rain while providing
a cushion when closing.

Models	Thickness	Polystyrene insulation ⁴	R- value ⁵	Heavy- duty steel ⁶	Backing ⁷	Warranty
170 S 171 L 175 V	2"					15-year limited
173 S 174 L 176 V	2"			●		Limited lifetime
180 S 181 L 185 V	2"	●	7.4		Vinyl	20-year limited
183 S 184 L 186 V	2"	●	7.4	●	Vinyl	Limited lifetime
391 S 399 L	2"	●	9.8		Steel	Limited lifetime

S - Standard panel, L - Long panel, V - V5 panel

⁴ Polystyrene insulation: Refers to insulation for improved energy efficiency and sound reduction.

⁵ R-value: The higher the R-value, the greater the insulating properties.

⁶ Heavy-duty steel: A thicker, more durable and dent-resistant option, designed to withstand additional knocks and bumps from outdoor activity.

⁷ Backing: Vinyl – For a clean, more finished look and added sound absorption.
Steel – Interior-side steel backing for strength and finished appearance.

Wind load-rated system for garage doors

Reliable protection against high winds and wind-borne debris

As the largest point of entry into your home, your garage door can be a point of failure during a high wind event and create the potential for debris and high-pressure damage within your home. That's why when high winds hit, a reinforced garage door is one of your home's – and your family's – most important safeguards against nature's fury. Our WindStorm™ rated doors not only provide reliable protection against high wind damage, but also feature fine craftsmanship, trouble-free performance, lasting durability and eye-catching curb appeal.



Designed for strength and stability

- Stringently tested to meet wind load requirements*
- Optional impact rating on select door models
- Reinforced hardware throughout door
- Additional horizontal bracing for further reinforcement
- Optional impact rated glass for additional safety and protection
- Insulated door system designs provide energy efficiencies
- Various door system designs to meet door size requirements, wind zone, exposure categories as well as aesthetics

*Wind load and impact resistance requirements vary by region. Please contact your local Overhead Door™ Distributor for more information.

Approval agencies/building codes

	International Building Code (IBC) & International Residential Code (IRC)		Florida Building Code (FBC)	Florida Building Code (FBC) Impact Rated	Texas Department of Insurance (TDI)	Texas Department of Insurance (TDI) Impact Rated	Miami-Dade County
Signature® Carriage Collection							
Courtyard Collection®							
Thermacore® Collection							
Durafirm Collection®							
Impression Fiberglass Collection®							
Impression Steel Collection®							
Carriage House Collection							
Modern Aluminum Collection							
Courtyard Collection® 7565							
Thermacore® Collection 5745/5765							
Traditional Steel Collection							

Windows

Signature Carriage® Wood

Available on Single Door



3PS- Three Pane Square Top



3PA- Three Pane Arched Top



4PS- Four Pane Square Top



4PA- Four Pane Arched Top



6PS- Three over Three Square Top



6PA- Three over Three Arched Top



8PS- Four over Four Square Top



8PA- Four over Four Arched Top



2PS- Two Pane Square Top



2PA- Two Pane Arched Top



22S- Two over Two Square Top



22A- Two over Two Arched Top

Available on Double Door



3PS- Three Pane Square Top



3PA- Three Pane Arched Top



4PS- Four Pane Square Top



4PA- Four Pane Arched Top



6PS- Three over Three Square Top



6PA- Three over Three Arched Top



8PS- Four over Four Square Top



8PA- Four over Four Arched Top



2PS- Two Pane Square Top



2PA- Two Pane Arched Top



22S- Two over Two Square Top



22A- Two over Two Arched Top

Double door - double arched windows are available on some models. Not all window options available for all models. Consult your Overhead Door™ Distributor for additional options that may be available.

Windows

Thermacore® Collection

Available on **Standard, Flush and V5 panels**



Clear Short



Ashton 1



Cascade 1



Cathedral 1



Madison 1



Ruston 1



Sherwood 1



Stockford 1



Stockton 1



Waterton 1



Williamsburg 4



Winston 1



Williamsburg 8



Prairie 1

Carriage style window trim available on **models 194 and 195 only**



Stockbridge



Stockton



Stockton Arch



Somerton



Wyndbridge Arch

Available on **Long, Flush, V5 and V10 panels**



Clear Long



Ashton 2



Cascade 2



Cathedral 2



Ruston 2



Sherwood 2



Somerton 2



Stockbridge 2 3-Lite



Stockbridge 2 4-Lite



Stockford 2



Stockton 2 4-Lite



Stockton 2 6-Lite



Stockton 2 8-Lite



Stockton 2 8-Lite Arch



Stockton 2 12-Lite



Waterton 2



Williamsburg 2



Wyndbridge 2



Williamsburg 2 (4 pc)



Prairie 2

Insulated obscure glass available on 190 and 490 Series.

Windows

Thermacore® 5745 & 5765 Series

Available on **Standard** and **Flush** panels



Clear 1



Prairie 1



Arched Stockton*



Cascade 1



Sherwood 1



Stockbridge*



Cathedral 1



Stockton 1



Williamsburg 1

*Flush panel only

Available on **V5** panels



Clear 1



Cascade 1



Stockbridge



Waterton 1



Clear 3**



Cascade 3**



Stockton 1



Waterton 3**



Arched Stockton



Cathedral 1



Stockton 3**

**Also available on Flush panel.

Choice of single or double arch is available for arched top double car windows.

Available on **V10** panels



Clear 4



Cathedral 4



Stockbridge 4 (3-Lite)



Arched Stockton 4



Stockton 4 (8-Lite)



Waterton 4



Williamsburg 4



Ashton 4



Ruston 4



Stockbridge 4 (4-Lite)



Stockton 4 (4-Lite)



Stockton 4 (8-Lite Arched)



Williamsburg 4



Cascade 4



Sherwood 4



Stockford 4



Stockton 4 (6-Lite)



Stockton 4 (12-Lite)



Wyndbridge 4

Available on **Long** panels



Clear 2



Prairie 2



Stockton 2



Cascade 2



Sherwood 2



Waterton 2



Cathedral 2



Stockbridge



Williamsburg 2

Windows

Traditional Steel Collection

Available on **Standard panel** and **V5 panel**



Clear Short



Ashton 1



Cascade 1



Cathedral 1



Madison 1



Prairie 1



Ruston 1



Sherwood 1



Stockbridge 1 (170/180 only)



Stockford 1



Stockton 1



Waterton 1



Williamsburg 1 (4 pc)



Williamsburg 1 (8 pc)



Winston 1

Available on **Long panel**

Long panel window option and trim not available on Model 391.



Clear Long*



Ashton 2*



Cascade 2



Cathedral 2



Madison 2 170/180
Series only



Prairie 2



Ruston 2



Sherwood 2



Somerton 2*



Stockbridge 2 (3-Lite)



Stockford 2*



Stockton 2 (8-Lite Arch)*



Stockton 2 (4-Lite)
170/180 Series only



Stockton 2 (10-Lite)
170/180 Series only



Stockton 2 (12-Lite)
Model 399 only



Waterton 2



Williamsburg 2 (2 piece)



Wyndbridge 2*



Williamsburg 2 (4 piece)

*Limited availability depending on door size.

Hardware

Accents for style

Decorative hardware

Further individualize your garage door with our distinctive decorative exterior handles and hinges. Available as optional accessories on our door collections. Not all hardware will fit all door sizes. Consult your local distributor for more information.

Premium Collection



Spade Design Hammered Hinge
410094-0008



Heritage Design Hinge
410094-0002



Bean Design Hinge
410094-0010



Traditional Hammertone Hinge
410094-0001



Traditional Hammertone Handle
410094-0013



Iron Studs
410094-0004



Bean Design Handle
410094-0009



Large Hammered Iron Handle
410094-0005

Value Collection



Spear Hinge
(16" and 18" available)
16"-410094-0015/18"-410094-0016



Bean Hinge
(16" only)
410094-0014



Small Spear Handle
410094-0013



Large Bean Handle
410094-0011



Large Spear Handle
410094-0012

Openers

Designed for performance



Battery Backup capable

Available with integrated
OHD ANYWHERE

Destiny® 1500 screw drive

The ultimate in power, speed and convenience

- 140V DC motor operates almost any garage door quickly and smoothly
- Opening speed of 12 inches/second
- Door Detect™ monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system



Battery Backup capable

Odyssey® 1200 screw drive

More power, speed and convenience

- 140V DC motor operates almost any garage door quickly and smoothly
- Opening speed of 10 inches/second
- Door Detect™ monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system



Battery Backup capable

Available with integrated
OHD ANYWHERE

Destiny® 1200 belt or chain drive

Power, speed and convenience

- 140V DC motor operates almost any garage door quickly and smoothly
- Opening speed of 9 inches/second
- Door Detect™ monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system



Battery Backup capable

Odyssey® 1000 belt or chain drive

Power and speed

- 140V DC motor operates almost any garage door quickly and smoothly
- Opening speed of 7.5 inches/second
- Door Detect™ monitoring system improves overall safety
- Soft start and soft stop for less wear and tear on door system



Battery Backup capable

Legacy® 920 belt or chain

Value, reliability and power

- Integrated OHD Anywhere® optional
- 24V DC motor for quiet operation
- Opening speed up to 7.0 inches/second
- For residential sectional doors up to 10" high
- 6 foot power cord standard



Legacy® 850 belt or chain

Durable performance, quiet and flexibility

- 24V DC Power Plus motor
- DC motor for quiet operation




Legacy® 650 belt or chain

Durable performance, quiet and flexibility

- 24V DC motor
- DC motor and C-channel rail for quiet operation

Nationwide distributor network



**Transform Your Home
with the DoorView®
visualization tool.**



Go to **overheaddoor.com** to try our on-line interactive software tool that lets you visualize what your home would look like with an Overhead Door™ garage door. Contact your local Overhead Door™ Distributor for more information and to receive a quote.



The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067
1-800-929-DOOR • sales@overheaddoor.com
overheaddoor.com

©2019 Overhead Door Corporation. Overhead Door is a trademark and the Red Ribbon logo is a registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvements, we reserve the right to change product specification without notice or obligations. R900-231 03/19

SOLD AND DISTRIBUTED BY: